




METALOK INDUSTRIES
(AN ISO 9001: 2015 Certified Company)

MANIFOLD VALVES CATALOGUE



***Most Cost Effective, World Class Quality
Flow Control Components for Wide Range
of Industries and Applications***

Manifold Valve

- 2 Way Manifold Valves R2, Type 1
- 2 Way Manifold Valves R2, Type 2
- 2 Way Manifold Valves R2, Type 3
- 2 Way Manifold Valves R2, Type 4
- 2 Way Manifold Valves R2, Type 5
- 2 Way Manifold Valves R2, Type 6
- 2 Way Manifold Valves, T2 Type 7 Direct Mounting
- 2 Way Manifold Valves, T2 Type 8 Direct Mounting
- 2 Way Manifold Valves, R2, Type 6
- 2 Way Manifold Valves, T2, Type 7 Direct Mounting
- 2 Way Manifold Valves, T2 Type 8 Direct Mounting
- 2 Way Manifold Valves, R2, Type 9 Remote Mounting
- 3 Way Manifold Valves, R3, Type 1
- 3 Way Manifold Valves, R3, Type 2 Direct Mounting
- 3 Way Manifold Valves, T3, Type 3 Direct Mounting
- 3 Way Manifold Valves, T3, Type 4 Direct Mounting
- 5 Way Manifold Valves, R5, Type 1
- 5 Way Manifold Valves, R5, Type 2 Direct Mounting
- 5 Way Manifold Valves, R5, Type 3 Direct Mounting
- 5 Way Manifold Valves, R5, Type 4 Coplanar Mounting
- 5 Way Manifold Valves, T5, Type 5 Direct Mounting



COMPANY DETAILS



METALOK INDUSTRIES

(AN ISO 9001: 2015 Certified Company)



ABOUT US

Founded in 2013, **METALOK INDUSTRIES** has rapidly emerged as a trailblazer in international markets, distinguished by its unwavering commitment to total quality and unparalleled flexibility.

Our journey to success is rooted in years of profound experience within the steel industry, coupled with a keen understanding of our customers evolving needs. **METALOK INDUSTRIES** stands out through exclusive testing, certified products, stringent quality standards, and an unwavering dedication to exceptional customer service, positioning us as a true global performer and a trusted partner for our clientele.

What sets us apart is our ability to deliver any size, any grade, and any quality at a competitive price across various forms – pipes, tubes, plates, flanges, fittings, fasteners, valves, bars, and customized forgings. This exemplifies our exceptional flexibility. Our commitment to meeting customer delivery needs and adhering to complex technical specifications underscores our unwavering dedication to total quality.

At the heart of our success is an unrivaled product portfolio, strategically headquartered in Mumbai, enabling us to foster enduring relationships with our clients. Our primary goal is to facilitate smooth deliveries, providing not just reassurance but peace of mind.

As part of our continuous improvement initiative, **METALOK INDUSTRIES** consistently strives to maintain a market-leading position through ongoing research, strategic investments, and a culture of innovation.

Drawing upon extensive engineering experience, our mission is not just to meet our client's needs but to exceed their expectations, delighting them with unparalleled product and service quality.

Our Commitment: We are committed to:

Offering a comprehensive range of high-quality products and services across various fields. Executing all aspects of our work with the highest level of professionalism and excellence. Providing exceptional workmanship.

Our Vision


To be the benchmark of the Indian Stainless Steel Tube Industry, delivering superior value products through innovation and operational excellence.

Our Mission

Aligned with the vision and values of our founders, we aim to fortify India's industrial base by leveraging cutting-edge technology, ensuring high productivity, and adhering to modern management practices. Recognizing honesty and integrity as essential pillars of a robust enterprise, we understand that profitability ignites the engine of economic activity.



MANIFOLD VALVE




Dimensions are for reference onl

Warning for Your Safety

The system designer and user have the sole responsibility to select products suitable for their special application requirements to ensure the proper installation. Operation and maintenance of the product. Application details, material compatibility and product ratings should all be considered in the individual selection. Improper selection or use of products can cause property damage or personal injury. METALOK accepts no liability for any improper selection, installation, operation or maintenance.

MANIFOLD VALVE

2 WAY MANIFOLD VALVES,R2,TYPE 1




Orifice : 4 mm

Approximate Weight : 1.0 kg.

Pressure : up to 6000 psi.


Temperature: up to 400 c

All dimension in Millimeter



MANIFOLD VALVE

2 WAY MANIFOLD VALVES,R2,TYPE 2




Orifice : 4 mm

Approximate Weight : 1.0 kg.

Pressure : up to 6000 psi.



Temperature: up to 400 c

All dimension in Millimeter



MANIFOLD VALVE

2 WAY MANIFOLD VALVES,R2,TYPE 3




Orifice : 4 mm

Approximate Weight : 1.0 kg

Pressure : up to 6000 psi.



Temperature: up to 400 c

All dimension in Millimeter



MANIFOLD VALVE

2 WAY MANIFOLD VALVES,R2,TYPE 4




Orifice : 4 mm

Approximate Weight : 1.0 kg.

Pressure : up to 6000 psi.


Temperature: up to 400 c

All dimension in Millimeter




MANIFOLD VALVE

2 WAY MANIFOLD VALVES,R2,TYPE 5




Orifice : 4 mm
Approximate Weight : 1.0 kg.
Pressure : up to 6000 psi.
Temperature: up to 400 c
All dimension in Millimeter



MANIFOLD VALVE

2 WAY MANIFOLD VALVES,R2,TYPE 6






Orifice : 4 mm

Approximate Weight : 1.2 kg.

Pressure : up to 6000 psi.


Temperature: up to 400 c

All dimension in Millimeter





MANIFOLD VALVE

2 WAY MANIFOLD VALVES,T2,TYPE 7 DIRECT MOUNTING




Orifice : 4 mm
Approximate Weight : 1.2 kg.
Pressure : up to 6000 psi.
Temperature: up to 400 c
All dimension in Millimeter



MANIFOLD VALVE

2 WAY MANIFOLD VALVES,T2,TYPE 8 DIRECT MOUNTING


Orifice : 4 mm
Approximate Weight : 1.5 kg.
Pressure : up to 6000 psi.
Temperature: up to 400 c
All dimension in Millimeter



MANIFOLD VALVE


2 WAY MANIFOLD VALVES,R2,TYPE 9 REMOTE MOUNTING

Orifice : 4 mm
Approximate Weight : 1.2 kg.
Pressure : up to 6000 psi.
Temperature: up to 400 c
All dimension in Millimeter



MANIFOLD VALVE

3 WAY MANIFOLD VALVES,R3,TYPE 1




Orifice : 4 mm

Approximate Weight : 1.5 kg.

Pressure : up to 6000 psi.

Temperature: up to 400 c




All dimension in Millimeter



MANIFOLD VALVE


3 WAY MANIFOLD VALVES,R3,TYPE 2 DIRECT MOUNTING

Orifice : 4 mm
 Approximate Weight : 1.5 kg.
 Pressure : up to 6000 psi.
 Temperature: up to 400 c
 All dimension in Millimeter



MANIFOLD VALVE

3 WAY MANIFOLD VALVES,T3,TYPE 3 DIRECT MOUNTING




Orifice : 4 mm

Approximate Weight : 1.5 kg.

Pressure : up to 6000 psi.


Temperature: up to 400 c

All dimension in Millimeter



MANIFOLD VALVE

3 WAY MANIFOLD VALVES,H3,TYPE 4 DIRECT MOUNTING




Orifice : 4 mm

Approximate Weight : 2.6 kg.

Pressure : up to 6000 psi.


Temperature: up to 400 c

All dimension in Millimeter



MANIFOLD VALVE

5 WAY MANIFOLD VALVES, R5, TYPE 1




Orifice : 4 mm

Approximate Weight : 2.2 kg.

Pressure : up to 6000 psi.


Temperature: up to 400 c

All dimension in Millimeter



MANIFOLD VALVE

5 WAY MANIFOLD VALVES, R5, TYPE 2 DIRECT MOUNTING





Orifice : 4 mm

Approximate Weight : 1.5 kg.

Pressure : up to 6000 psi.



Temperature: up to 400 c

All dimension in Millimeter



MANIFOLD VALVE

5 WAY MANIFOLD VALVES,R5,TYPE 3 DIRECT MOUNTING





Orifice : 4 mm

Approximate Weight : 1.5 kg.

Pressure : up to 6000 psi.


Temperature: up to 400 c

All dimension in Millimeter



MANIFOLD VALVE

5 WAY MANIFOLD VALVES,R5,TYPE 4 COPLANAR MOUNTING





Orifice : 4 mm

Approximate Weight : 1.5 kg.

Pressure : up to 6000 psi.


Temperature: up to 400 c

All dimension in Millimeter



MANIFOLD VALVE

5 WAY MANIFOLD VALVES, T5, TYPE 5 DIRECT MOUNTING




Orifice : 4 mm

Approximate Weight : 2.5 kg.

Pressure : up to 6000 psi.



Temperature: up to 400 c

All dimension in Millimeter



MANIFOLD VALVE

5 WAY MANIFOLD VALVES, H5, TYPE 6 DIRECT MOUNTING




Orifice : 4 mm

Approximate Weight : 3.2 kg.

Pressure : up to 6000 psi.

Temperature: up to 400 c

All dimension in Millimeter





METALOK INDUSTRIES

(AN ISO 9001: 2015 Certified Company)

Manufacturer, Exporter & Supplier of :

Stainless Steel, Carbon Steel, Alloy Steel, High Nickel Alloys, Tubes, Pipes, Pipe Fittings, Flanges, Plates, Rods, Fasteners, Ferrous & Non-Ferrous Metals, etc.

Address : Unit No.21, Nikisha Industries Estate, Western Express Hiway, Mira Road East, Thane 401 107, Maharashtra, INDIA.

Tel : +91 9869552950 (CEO)
Tel : +91 8369290665 (Technical Head)
Tel : +91 7718823323 (Sales Head)

Email : sales@metalokindustries.com
Email : shadaab@metalokindustries.com

www.metalokindustries.com

